

LED Weatherproof Batten with Sensor



EO-1200-WP-2X18W-S



SPECIFICATIONS	
Model Number	EO-1200-WP-2X18W-S
Beam Angle	120°
Consumption	34.86 watts (LCP)
LED Total Luminous Flux	3809.7 lumens
LED Luminous Efficiency	109.29 lumens / watt
Power Factor	0.9454
Input Voltage	240 Volts, 50 Hz
Lamps Efficiency	>85%
Sensor	Microwave- <8Ghz / <10mW
Sensor Angle coverage	360°
Sensing distance	4m or 8m (user adjustable)
Sensor Time Delay	30 sec – 10 minutes (user adjustable)
Standby power	0/10/20 or 30% dim (user adjustable)
Daylight sensing	0 or 25 lux (user adjustable)
Material	Aluminium & Thermoplastic Lens Frosted Poly carbonate
Working Temperature	- 25°C to + 50°C
IP Rating	IP 65
Colour Temperature	Warm White 3000 – 3500 kelvin Cool White 4000 – 4500 kelvin Daylight 5000 - 6000 kelvin
Colour Rendering Index CRI	Ra 80.4
Certificate	AS/NZS CISPR 15:2011 SAA 142145 IEC 60598.2.1:2014 IEC 61346.2.1:2003 N28689
Dimensions	1272 x 158 x 100mm
Net Weight	3.05 Kg
Life Expectancy	50,000 + Hrs
Warranty	5 Years



In built microwave sensor



LED high efficiency Weatherproof IP65 rated batten

Microwave sensor can penetrate wooden door, glass and thin walls
Adjustable time delay, sensor distance and daylight sensing.
Adjustable standby output power (dim settings)

LED High efficiency Weatherproof IP65 rated batten replacement for T8 and T5

Application: Car parks, industrial, manufacturing plants, food preparation, outside buildings, under awnings